

FIFTH WHEEL

Holland Simplex Fifth Wheel

A Holland Simplex Fifth Wheel offers proven reliability in a simple design. With only five moving parts maintenance is quick and not labor intensive. The manual left hand release Simplex II is designed for all truck applications. Give Six Robblees a call for more information on Holland Simplex Fifth Wheels.

Holland Simplex II Fifth Wheel

Part #	Fig.#	Description
4102720	1	Simplex II SE Left Hand Release Fifth Wheel

Holland Simplex II Replacement Jaw Kit

4000501	--	Simplex II Repair Kit w/ Eccentric Pin
---------	----	--

Holland Repair Kit

63501L	--	Left Hand Rebuild Kit
--------	----	-----------------------

Fifth Wheel Accessories

Part #	Fig.#	Description
14210	2	54" Fifth Wheel Slider Coil
29-1405	3	100 p.s.i. Fifth Wheel Air Cylinder 12-3/4" Retracted to 19-1/4" Extended
710	4	Polyethylene Fifth Wheel Disc & Lock
01010	5	Fifth Wheel Grease Pack
KP20038	6	3/8" Weld-On Trailer King Pin
702	7	King Pin Lock



Fig. 1



Fig. 2



Fig. 3



Fig. 4



Fig. 5



Fig. 6



Fig. 7

COUPLING EYES & ACCESSORIES

Weld-On Drawbar Eyes



Part # 3 Inside Eye Diameter 2-1/16"
70,000 lbs. Gross Trailer Weight

Part # 4 Inside Eye Diameter 2-3/8"
90,000 lbs. Gross Trailer Weight

Part # 5 Inside Eye Diameter 2-5/8"
90,000 lbs. Gross Trailer Weight

Swivel Drawbar Eyes



Part # 207S Inside Eye Dia. 2-3/8" Overall Length 18-7/8"
207L Inside Eye Dia. 2-3/8" Overall Length 19"

Jacks



Part # 600P-15-729 Travel 15" Overall Height 29-5/8"
700P-15-729 Travel 15" Overall Height 23-5/16"

Premier Bushings & Accessories



Fig. 1



Fig. 2



Fig. 3



Fig. 4



Fig. 5

Part #	Fig.#	I.D.	O.D.	Length	Description
348(A)	1	2"	3-1/2"	3-1/2"	Rubber Bushing, Use (A) for Poly
437(A)	1	2"	4-1/4"	4-1/2"	Rubber Bushing, Use (A) for Poly
448A	1	2"	3-1/2"	1-3/4"	Poly Bushing
688HD	2				Heavy Duty Swivel Mount for Jacks
620	3		6"		1200 lb. Capacity Steel Wheel
271	4				7/8" x 2-3/4" Pushrod Thimble
267	5				Air Chamber Bracket for 270 & 2200 Couplings
467	5				Air Chamber Bracket



COUPLINGS

Air Actuated Couplings

Kit # 270A



<u>Coupling #</u>	<u>Kit #</u>	<u>Bracket #</u>	<u>Bolt Kit</u>	<u>Service Chamber</u>
270	270PK	267	501	SC-24

90,000 lbs. Gross Trailer Weight.

Kit # 470A



<u>Coupling #</u>	<u>Kit #</u>	<u>Bracket #</u>	<u>Bolt Kit</u>	<u>Service Chamber</u>
470	470PK	467	508	SC-24

90,000 lbs. Gross Trailer Weight

Kit #2400A



<u>Coupling #</u>	<u>Kit #</u>	<u>Bracket #</u>	<u>Bolt Kit</u>	<u>Service Chamber</u>
2400H*	2000PK	467	508	SC-30

100,000 lbs. Gross Trailer Weight.

*Can be used with or without air service chamber.



Kit # 370A



<u>Coupling #</u>	<u>Kit #</u>	<u>Bracket #</u>	<u>Bolt Kit</u>	<u>Service Chamber</u>
370	370PK	467	502	SC-24

90,000 lbs. Gross Trailer Weight.

Kit #2200A



<u>Coupling #</u>	<u>Kit #</u>	<u>Bracket #</u>	<u>Bolt Kit</u>	<u>Service Chamber</u>
2200*	2000PK	267	501	SC-30

100,000 lbs. Gross Trailer Weight.

*Can be used with or without air service chamber.

Non-Air Coupling



<u>Coupling #</u>	<u>Kit #</u>	<u>Bracket #</u>	<u>Bolt Kit</u>
580	580RK		507

70,000 lbs. Gross Trailer Weight.

Does not use an air service chamber.



LANDING GEAR



Fig. 1



Fig. 2



Fig. 3



Fig. 4



Fig. 5



Fig. 6




Fig. 7




Fig. 8

Landing Gear Sets

60,000 lb. Lifting Capacity When Used As A Set

Part #	Fig.#	Travel	Description
LG5001-70	1	17"	Landing Gear Set
LG5001-71	1	17"	Single Speed Leg
LG5001-72	1	17"	Two-Speed Leg

50,000 lb. Lifting Capacity When Used As A Set

Part #	Fig.#	Travel	Description
LG4001-70	2	17"	Landing Gear Set
LG4001-71	2	17"	Single Speed Leg
LG4001-72	2	17"	Two-Speed Leg

Landing Gear Sets Come Complete With Handles, Cross Tubes, "W" Clips and Hardware

Drop Leg Jacks

12,000 lb. Lifting Capacity

Part #	Fig.#	Travel	Description
182804	3	25.5"	Spring Loaded 4" Square Jack
182404	4	26"	Manual 4" Square Jack

Jacks Sold With Handles

Accessories

Part #	Fig.#	Description
015181	5	6" Standard Crank Handle
LG0083-05	5	18" Standard Crank Handle
XA-V-1914	6	Crank Hanger Bracket
LG0266	7	Standard Strut Bracket
LG0094-6450	8	64.5" Cross Drive Shaft

